REVISED FIBROMYALGIA IMPACT QUESTIONNAIRE (FIQR)

Last Name:	Fir	st Name:	Age:		
Duration of FM sym	ptoms (years)	Time sin	ce FM was first diag	nosed (years):	
Directions: For each of the following 9 questions check the box that best indicates how much your fibromyalgia made it difficult to perform each of the following activities during the past 7 days. If you did not perform a particular activity in the last 7 days, rate the difficulty for the <u>last time</u> you performed the activity. If you can't perform an activity, check the last box.					
Brush or comb your hair	No difficulty			Very difficult	
Walk continuously for 20 minutes	No difficulty		000000	Very difficult	
Prepare a homemade meal	No difficulty			Very difficult	
Vacuum, scrub or sweep floors	No difficulty			Very difficult	
Lift and carry a bag full of groceries	No difficulty			Very difficult	
Climb one flight of stairs	No difficulty	00000	000000	Very difficult	
Change bed sheets	No difficulty			Very difficult	
Sit in a chair for 45 minutes	No difficulty			Very difficult	
Go shopping for groceries	No difficulty			Very difficult	
Sub-total (for internal use only)					
Directions: For each of the following 2 questions, check the box that best describes the overall impact of your fibromyalgia over the last 7 days:					
Fibromyalgia prevented me from accomplishing goals for the week		ver 🗆 🗆 🗆		□ Always	
I was completely overwhelmed by my fibromyalgia symptoms		ver 🗆 🗆 🗆		□ Always	

Sub-total (for internal use only)

Directions: For each of the following 10 questions, select the box that best indicates your intensity of these common fibromyalgia symptoms over the past 7 days

Please rate your level of pain	No pain	□ □ □ □ □ □ □ □ Unbearable pain			
Please rate your level of energy	Lots of energy	□□□□□□□□□ No energy			
Please rate your level of stiffness	No stiffness	□ □ □ □ □ □ □ □ □ Severe stiffness			
Please rate the quality of your sleep	Awoke well rested	□ □ □ □ □ □ □ □ Awoke very tired			
Please rate your level of depression	No depression	□ □ □ □ □ □ □ □ □ Very depressed			
Please rate your level of memory problems	Good memory	□□□□□□□□□□ Very poor memory			
Please rate your level of anxiety	Not anxious	□ □ □ □ □ □ □ □ □ Very anxious			
Please rate your level of tenderness to touch	No tenderness	□ □ □ □ □ □ □ □ □ Very tender			
Please rate your level of balance problems	No imbalance	□ □ □ □ □ □ □ □ □ Severe imbalance			
Please rate your level of sensitivity to loud noises, bright lights, odors and cold	No sensitivity	□ □ □ □ □ □ □ □ □ Extreme sensitivity			
Sub-total (for internal use only)					
		FIOR TOTAL (Section of the Control o			

HOME

Changes in the FIQR

The FIQR is much easier to score compared to its predecessor – the FIQ.

The SIQR has exactly the same scoring algorithm as the FIQR

There are just 3 steps in scoring:

FIQR Form

Step 1. Sum the scores for each of the three domains (function, overall, and symptoms

FIQR Calculator

a. Divide *function* domain sum (0-90) by 3 (upper limit 30) b. Divide *overall impact* domain sum (0-20) by one (0-20) (that is, it is unchanged)

c. Divide symptom domain sum (0-100) by 2 (upper limit 50)

SIQR Form

Add the three resulting domain scores (a, b and c) to obtain the total score of the FIQR or SIQR (range 0 -100)

SIQR Calculator

Calculator the FIQR or SIG

FIQR Questions

Missing or multiple answers

Provider's Office

Consider the the questionnaire invalid if:

Interpretation of FIQR

- Two or more items are missed from the functional domain or any item is missed from the overall domain or the symptom domain.
- 2. The subject makes multiple answers to three or more individual items.

FIQR 2009 publication

Completion / scoring times:

FIQR / SIQR review

- * Patient completion time is approximately 2 minutes
- FIQR and FIQ references
- * Hand scoring takes approximately 1 minute
- License to use FIQR
- * FIGR calculator scoring is instantaneous and the completed quastionnaire can be printed out.

www.myalgia.com